



# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP REVISION DETERMINATION DOCUMENT

COMMUNITY AND REVISION INFORMATION		PROJECT DESCRIPTION	BASIS OF REQUEST
COMMUNITY	Spokane County Washington (Unincorporated Areas)	NO PROJECT	REISSUE
	COMMUNITY NO.: 530174		
IDENTIFIER	Floodplain Management Services Special Study-Minnie Creek	APPROXIMATE LATITUDE & LONGITUDE: 47.505, -117.556 SOURCE: Other DATUM: NAD 83	
ANNOTATED MAPPING ENCLOSURES		ANNOTATED STUDY ENCLOSURES	
TYPE: FIRM* NO.: 53063C0700D DATE: July 6, 2010 TYPE: FIRM NO.: 53063C0856D DATE: July 6, 2010 TYPE: FIRM NO.: 53063C0693D DATE: July 6, 2010 TYPE: FIRM NO.: 53063C0689D DATE: July 6, 2010		DATE OF EFFECTIVE FLOOD INSURANCE STUDY: July 06, 2010 PROFILE(S): 55P, 56P, 57P, AND 58P FLOODWAY DATA TABLE: 6 SUMMARY OF DISCHARGES TABLE: 4	

Enclosures reflect changes to flooding sources affected by this revision.

\* FIRM - Flood Insurance Rate Map

### FLOODING SOURCE(S) & REVISED REACH(ES)

Minnie Creek - from approximately 70 feet upstream of West Anderson Road to just downstream of West Meadow Lake Road.

### SUMMARY OF REVISIONS

This Letter of Map Revision (LOMR) is a reissuance of a LOMR dated April 7, 2010 (Case No. 09-10-0216P). The April 7 LOMR was not incorporated into the updated FIRM and FIS report for Spokane County, Washington and Incorporated Areas dated July 6, 2010. This LOMR does not revise the base floodplain, regulatory floodway, or BFEs\* along Minnie Creek presented in the April 7 LOMR; however, the datum has been updated.

\* BFEs – Base Flood Elevations

### DETERMINATION

This document provides the determination from the Department of Homeland Security's Federal Emergency Management Agency (FEMA) regarding a request for a LOMR for the area described above. Using the information submitted, we have determined that a revision to the flood hazards depicted in the FIS report and/or National Flood Insurance Program (NFIP) map is warranted. This document revises the effective NFIP map, as indicated in the attached documentation. Please use the enclosed annotated map panels revised by this LOMR for floodplain management purposes and for all flood insurance policies and renewals in your community.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Information eXchange (FMIX) toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.

Siamak Esfandiary, Ph.D., P.E., CFM, Program Specialist  
Engineering Management Branch  
Mitigation Directorate



**Federal Emergency Management Agency**  
Washington, D.C. 20472

**LETTER OF MAP REVISION  
DETERMINATION DOCUMENT (CONTINUED)**

**OTHER COMMUNITIES AFFECTED BY THIS REVISION**

**CID Number:** 530175      **Name:** City of Cheney, Washington

**AFFECTED MAP PANELS**

TYPE: FIRM*	NO.: 53063C0689D	DATE: July 6, 2010
TYPE: FIRM	NO.: 53063C0693D	DATE: July 6, 2010
TYPE: FIRM	NO.: 53063C0856D	DATE: July 6, 2010

**AFFECTED PORTIONS OF THE FLOOD INSURANCE STUDY REPORT**

DATE OF EFFECTIVE FLOOD INSURANCE STUDY: July 6, 2010  
 PROFILE(S): 55P, 56P, 57P, AND 58P  
 FLOODWAY DATA TABLE: 6  
 SUMMARY OF DISCHARGES TABLE: 4

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Information eXchange (FMIX) toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.

Siamak Esfandiary, Ph.D., P.E., CFM, Program Specialist  
 Engineering Management Branch  
 Mitigation Directorate



# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP REVISION DETERMINATION DOCUMENT (CONTINUED)

### COMMUNITY INFORMATION

#### APPLICABLE NFIP REGULATIONS/COMMUNITY OBLIGATION

We have made this determination pursuant to Section 206 of the Flood Disaster Protection Act of 1973 (P.L. 93-234) and in accordance with the National Flood Insurance Act of 1968, as amended (Title XIII of the Housing and Urban Development Act of 1968, P.L. 90-448), 42 U.S.C. 4001-4128, and 44 CFR Part 65. Pursuant to Section 1361 of the National Flood Insurance Act of 1968, as amended, communities participating in the NFIP are required to adopt and enforce floodplain management regulations that meet or exceed NFIP criteria. These criteria, including adoption of the FIS report and FIRM, and the modifications made by this LOMR, are the minimum requirements for continued NFIP participation and do not supersede more stringent State or local requirements to which the regulations apply.

#### COMMUNITY REMINDERS

We based this determination on the 1-percent-annual-chance flood discharges computed in the FIS for your community without considering subsequent changes in watershed characteristics that could increase flood discharges. Future development of projects upstream could cause increased flood discharges, which could cause increased flood hazards. A comprehensive restudy of your community's flood hazards would consider the cumulative effects of development on flood discharges subsequent to the publication of the FIS report for your community and could, therefore, establish greater flood hazards in this area.

Your community must regulate all proposed floodplain development and ensure that permits required by Federal and/or State law have been obtained. State or community officials, based on knowledge of local conditions and in the interest of safety, may set higher standards for construction or may limit development in floodplain areas. If your State or community has adopted more restrictive or comprehensive floodplain management criteria, those criteria take precedence over the minimum NFIP requirements.

We will not print and distribute this LOMR to primary users, such as local insurance agents or mortgage lenders; instead, the community will serve as a repository for the new data. We encourage you to disseminate the information in this LOMR by preparing a news release for publication in your community's newspaper that describes the revision and explains how your community will provide the data and help interpret the NFIP maps. In that way, interested persons, such as property owners, insurance agents, and mortgage lenders, can benefit from the information.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Information eXchange (FMIX) toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.

A handwritten signature in black ink, appearing to read "S. Esfandiary".

Siamak Esfandiary, Ph.D., P.E., CFM, Program Specialist  
Engineering Management Branch  
Mitigation Directorate



Federal Emergency Management Agency  
Washington, D.C. 20472

**LETTER OF MAP REVISION  
DETERMINATION DOCUMENT (CONTINUED)**

**COMMUNITY INFORMATION (CONTINUED)**

We have designated a Consultation Coordination Officer (CCO) to assist your community. The CCO will be the primary liaison between your community and FEMA. For information regarding your CCO, please contact:

Mr. Mark Carey  
Director, Mitigation Division  
Federal Emergency Management Agency, Region X  
Federal Regional Center  
130 228th Street, Southwest  
Bothell, WA 98021-8627  
(425) 487-4682

**STATUS OF THE COMMUNITY NFIP MAPS**

We will not physically revise and republish the FIRM and FIS report for your community to reflect the modifications made by this LOMR at this time. When changes to the previously cited FIRM panel(s) and FIS report warrant physical revision and republication in the future, we will incorporate the modifications made by this LOMR at that time.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Information eXchange (FMIX) toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.

A handwritten signature in black ink, appearing to read "S. Esfandiary".

Siamak Esfandiary, Ph.D., P.E., CFM, Program Specialist  
Engineering Management Branch  
Mitigation Directorate



Federal Emergency Management Agency  
Washington, D.C. 20472

**LETTER OF MAP REVISION  
DETERMINATION DOCUMENT (CONTINUED)**

**COMMUNITY INFORMATION (CONTINUED)**

This revision is effective as of the date of this letter. Any requests to review or alter this determination should be made within 30 days and must be based on scientific or technical data.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Information eXchange (FMIX) toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMC Clearinghouse, 6730 Santa Barbara Court, Elkridge, MD 21075. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.

A handwritten signature in blue ink, appearing to read "S. Esfandiary".

Siamak Esfandiary, Ph.D., P.E., CFM, Program Specialist  
Engineering Management Branch  
Mitigation Directorate

**Table 4 - Summary of Discharges (Cont'd)**

Flooding Source and Location Area	Drainage Area (Square Miles)	Peak Discharges (cubic feet per second)			
		10-Percent-Annual-Chance	2-Percent-Annual-Chance	1-Percent-Annual-Chance	0.2-Percent-Annual-Chance
Unnamed Tributary to Chester Creek – cont'd					
At Storage Area	-- <sup>1</sup>	10	14	16	20
At Pines Road	-- <sup>1</sup>	12	24	30	46
At E. 46th Ave.	-- <sup>1</sup>	11	22	28	45
At S. Tolbert Lane	-- <sup>1</sup>	7	14	18	28
<b>Minnie Creek</b>					
At West Meadow Lake Road	12.4	125	220	270	395

--<sup>1</sup> Not Available


**REVISED TO  
REFLECT LOMR  
EFFECTIVE: August 17, 2010**

MINNIE CREEK		FLOODWAY			1-PERCENT-ANNUAL-CHANCE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ.FEET)	MEAN VELOCITY (FEET/ SEC.)	REGULATORY (FEET NAVD)	WITHOUT FLOODWAY (FEET NAVD)	WITH FLOODWAY (FEET NAVD)	INCREASE (FEET)
MINNIE CREEK								
A	249	10	60	5.4	2,300.5	2,300.5	2,300.9	0.4
B	1,642	76	138	2.0	2,331.7	2,331.7	2,332.7	1.0
C	2,622	10	28	9.5	2,344.7	2,344.7	2,344.8	0.1
D	3,143	36	202	1.7	2,356.6	2,356.6	2,357.5	0.9
E	4,598	79	76	3.6	2,360.6	2,360.6	2,360.7	0.1
F	5,437	17	93	4.1	2,366.8	2,366.8	2,367.2	0.4
G	6,291	41	64	4.2	2,371.0	2,371.0	2,371.0	0.0
H	7,334	107	283	1.0	2,375.1	2,375.1	2,375.5	0.4
I	8,182	33	160	1.7	2,375.1	2,375.1	2,375.6	0.5
J	9,141	37	184	1.5	2,375.1	2,375.1	2,376.1	0.9
K	10,244	134	766	0.4	2,375.2	2,375.2	2,376.2	1.0
L	11,077	253	1,752	0.2	2,375.2	2,375.2	2,376.2	1.0
M	12,796	415	2,816	0.03	2,377.9	2,377.9	2,378.9	1.0
N	14,213	840	4,291	0.02	2,377.9	2,377.9	2,378.9	1.0
O	15,410	1,010	6,134	0.01	2,377.9	2,377.9	2,378.9	1.0
P	16,772	660	2,807	0.03	2,377.9	2,377.9	2,378.9	1.0
Q	17,705	680	1,901	0.04	2,377.9	2,377.9	2,378.9	1.0
R	18,607	785	2,071	0.1	2,377.9	2,377.9	2,378.9	1.0
S	20,445	967	4,846	0.03	2,377.9	2,377.9	2,378.9	1.0
T	22,592	877	4,432	0.03	2,377.9	2,377.9	2,378.9	1.0
U	23,568	201	320	0.3	2,378.0	2,378.0	2,378.9	1.0

**REVISED TO  
REFLECT LOMR  
EFFECTIVE: August 17, 2010**

<sup>1</sup> Feet above Anderson Road.

ELEVATION IN FEET (NAVD 88)



FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SPOKANE COUNTY, WA  
 AND INCORPORATED AREAS**


**REVISED TO  
 REFLECT LOMR  
 EFFECTIVE: August 17, 2010**

**FLOOD PROFILES**  
 MINNIE CREEK

55P



ELEVATION IN FEET (NGVD 29)



FEDERAL EMERGENCY MANAGEMENT AGENCY  
 SPOKANE COUNTY, WA  
 AND INCORPORATED AREAS

REVISED TO  
 REFLECT LOMR  
 EFFECTIVE: August 17, 2010

FLOOD PROFILES

MINNIE CREEK



**NOTES TO USERS**

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where **Base Flood Elevations (BFEs)** and/or **floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

**Coastal Base Flood Elevations** shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by **flood control structures**. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The **projection** used in the preparation of this map was Universal Transverse Mercator (UTM) zone 11. The **horizontal datum** was NAD83, GRS1980 spheroid. Differences in datum, spheroid, projection or UTM zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same **vertical datum**. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov/> or contact the National Geodetic Survey at the following address:

NGS Information Services  
NOAA, N/NGS12  
National Geodetic Survey  
SSMIC-3, #6202  
1315 East-West Highway  
Silver Spring, MD 20910-3282

To obtain current elevation, description, and/or location information for **bench marks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242, or visit its website at <http://www.ngs.noaa.gov/>.

**Base map** information shown on this FIRM was derived from multiple sources. Base map files were provided in digital format by Spokane County GIS and Washington State Department of Natural Resources. This information was compiled at various map scales during the time period 1995-2007.


This map reflects more detailed and up-to-date **stream channel configurations** than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

**Corporate limits** shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the **FEMA Map Service Center** at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-800-358-9620 and its website at <http://www.msc.fema.gov/>.

If you have **questions about this map** or questions concerning the National Flood Insurance Program in general, please call 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA website at <http://www.fema.gov/>.



**LEGEND**

- SPECIAL FLOOD HAZARD AREAS (SFHAs) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD
- The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, A99, V and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.
- ZONE A** No Base Flood Elevations determined.
- ZONE AE** Base Flood Elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE AR** Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
- ZONE A99** Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations determined.
- ZONE V** Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.
- ZONE VE** Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.
- FLOODWAY AREAS IN ZONE AE
- The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.
- OTHER FLOOD AREAS
- ZONE X** Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.
- OTHER AREAS
- ZONE X** Areas determined to be outside the 0.2% annual chance floodplain.
- ZONE D** Areas in which flood hazards are undetermined, but possible.
- COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS
- OTHERWISE PROTECTED AREAS (OPAs)
- CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.
- Floodplain boundary
- Floodway boundary
- Zone D boundary
- CBRS and OPA boundary
- Boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths or flood velocities.
- Base Flood Elevation line and value; elevation in feet\*
- Base Flood Elevation value where uniform within zone; elevation in feet\*
- \* Referenced to the North American Vertical Datum of 1988 (NAVD 88)
- Cross section line
- Transsect line
- Geographic coordinates referenced to the North American Datum of 1983 (NAD 83)
- 1000-meter Universal Transverse Mercator grid ticks, zone 11
- 5000-foot grid ticks: Washington State Plane coordinate system, north zone (FPSZONE 4601), Lambert Conformal Conic
- Bench mark (see explanation in Notes to Users section of this FIRM panel)
- M1.5 River Mile
- MAP REPOSITORIES
- Refer to Map Repositories list on Map Index
- EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP: July 6, 2010
- EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL:

For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

MAP SCALE 1" = 500'

250 0 500 1000 FEET  
150 0 150 300 METERS

**NATIONAL FLOOD INSURANCE PROGRAM**

**PANEL 0689D**

**FIRM**  
FLOOD INSURANCE RATE MAP  
SPOKANE COUNTY,  
WASHINGTON  
AND INCORPORATED AREAS

PANEL 689 OF 1150  
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
SPOKANE COUNTY	530174	0689	D
CHENEY CITY OF	530175	0689	D

**REVISED TO REFLECT LOMR**  
EFFECTIVE: August 17, 2010

Notice to User: The Map Number shown below should be used when placing map orders. The Community Number shown above should be used on insurance applications for the subject community.

**FEDERAL EMERGENCY MANAGEMENT AGENCY**

**MAP NUMBER**  
53063C0689D

**EFFECTIVE DATE**  
JULY 6, 2010

Unnamed Stream

# SPOKANE COUNTY UNINCORPORATED AREAS 530174

NOTE: MAP AREA SHOWN ON THIS PANEL IS LOCATED  
WITHIN TOWNSHIP 23 NORTH, RANGE 42 EAST.

52° 63' 00.00m N

52° 62' 00.00m N

52° 61' 00.00m N

47° 30' 00.00"

117° 33' 45.00"

6

## REVISED AREA

W BETZ ROAD

7

Minnie  
Creek

ZONE  
AE

ZONE  
AE

Minnie  
Creek

ZONE  
AE

### CITY OF CHENEY 530175

SPOKANE COUNTY  
CITY OF CHENEY

ZONE  
AE


Minnie  
Creek

ZONE  
AE

- Legend
-  1% annual chance (100-Year) Floodplain
  -  1% annual chance (100-Year) Floodway
  -  0.2% annual chance (500-Year) Floodplain



MAP SCALE 1" = 500'



PANEL 0693D

## FIRM FLOOD INSURANCE RATE MAP

SPOKANE COUNTY,  
WASHINGTON  
AND INCORPORATED AREAS

PANEL 693 OF 1150  
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)  
CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
SPOKANE COUNTY	530174	0693	D
CHENEY, CITY OF	530175	0693	D

**REVISED TO  
REFLECT LOMR  
EFFECTIVE: August 17, 2010**

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.



MAP NUMBER  
53063C0693D  
EFFECTIVE DATE  
JULY 6, 2010

Federal Emergency Management Agency


NATIONAL FLOOD INSURANCE PROGRAM

Legend

-  1% annual chance (100-Year) Floodplain
-  1% annual chance (100-Year) Floodway
-  0.2% annual chance (500-Year) Floodplain



MAP SCALE 1" = 2000'



NATIONAL FLOOD INSURANCE PROGRAM

PANEL 0700D

**FIRM**  
FLOOD INSURANCE RATE MAP

SPOKANE COUNTY,  
WASHINGTON  
AND INCORPORATED AREAS

PANEL 700 OF 1150

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)  
CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
SPOKANE COUNTY	530174	0700	D
AIRWAY HEIGHTS, TOWN OF	530270	0700	D

**REVISED TO  
REFLECT LOMR  
EFFECTIVE: August 17, 2010**


Notice to User: The **Map Number** shown below should be used when placing map orders; the **Community Number** shown above should be used on insurance applications for the subject community.



MAP NUMBER  
53063C0700D

EFFECTIVE DATE  
JULY 6, 2010

Federal Emergency Management Agency



THIS AREA SHOWN AT A  
SCALE OF 1" = 500'  
ON MAP NUMBER 53063C0693D

THIS AREA SHOWN AT A  
SCALE OF 1" = 500'  
ON MAP NUMBER 53063C0689

Legend

-  1% annual chance (100-Year) Floodplain
-  1% annual chance (100-Year) Floodway
-  0.2% annual chance (500-Year) Floodplain



MAP SCALE 1" = 500'



NATIONAL FLOOD INSURANCE PROGRAM  
 NFIP

PANEL 0856D

**FIRM**  
FLOOD INSURANCE RATE MAP

SPOKANE COUNTY,  
WASHINGTON  
AND INCORPORATED AREAS

PANEL 856 OF 1150

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)  
CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
SPOKANE COUNTY	530174	0856	D
CHENEY, CITY OF	530175	0856	D

**REVISED TO  
REFLECT LOMR  
EFFECTIVE: August 17, 2010**

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.



MAP NUMBER  
53063C0856D

EFFECTIVE DATE  
JULY 6, 2010

Federal Emergency Management Agency

