

Herbicide Recommendations for Weed Control

The following information is provided only as a general guide to weed control. Size of infestations and site conditions will determine what method would best suit your needs. Trade names have been used to simply instructions and do not constitute a guarantee or warranty of the product.

Always read and follow label instructions on the products you select and use!

For more information, please refer to our website: www.SpokaneCounty.Org/WeedBoard

Weed	Growth Type	Recommendations:		
		April, May <i>Seedling/Rosette</i>	June, July <i>Bolting, Bud, Bloom</i>	Aug, Sept, Oct <i>Seeding, Fall Regrowth</i>
Absinth Wormwood	<i>Perennial</i>	WeedMaster Prescott Milestone Transline	WeedMaster Milestone	Banvel
Annual Bugloss	<i>Annual</i>	PasturePro WeedMaster Tordon + 2,4-D	WeedMaster Tordon + 2,4-D	WeedMaster Tordon + 2,4-D
Blueweed <i>(Always add a surfactant to spray mix)</i>	<i>Biennial</i>	PasturePro WeedMaster Prescott Telar	PasturePro WeedMaster Prescott Tordon + 2,4-D	Tordon + 2,4-D Regrowth after mowing: WeedMaster Telar
Buffalobur	<i>Annual</i>	Transline Overdrive Tordon	Transline Tordon Roundup (spot spray)	Transline Tordon
Bull Thistle	<i>Biennial</i>	2,4-D Trimec Range Star Prescott Milestone	Tordon + 2,4-D Trimec Range Star Milestone	Tordon + 2,4-D Fall Regrowth: 2,4-D Prescott
Canada Thistle	<i>Perennial</i>	WeedMaster Curtail Tordon Prescott Milestone	Tordon + 2,4-D Roundup (<i>spot spray</i>) Telar Milestone	Tordon + 2,4-D Fall regrowth: Telar Banvel Milestone
Common Bugloss <i>(Always add a surfactant to spray mix)</i>	<i>Perennial</i>	Pasture Pro Prescott Telar Method + Telar	Pasture Pro Prescott Tordon + 2,4-D Method + Telar	Tordon + 2,4-D Regrowth after mowing: Pasture Pro Method + Telar Telar
		Recommendations are supplied with the understanding that no discrimination is intended and no endorsement by the Weed Board is implied. Trade names have been used to simplify instructions.		

Weed	Growth Type	Recommendations:		
		April, May <i>Seedling/Rosette</i>	June, July <i>Bolting, Bud, Bloom</i>	Aug, Sept, Oct <i>Seeding, Fall Regrowth</i>
Common Mullein	<i>Biennial</i>	Escort Milestone Tordon + 2,4-D	Escort Tordon + 2,4-D Method + Telar	Tordon + 2,4-D Method + Telar
Dalmatian Toadflax <i>(Always add a surfactant to spray mix)</i>	<i>Perennial</i>	2,4-D Range Star Tordon + 2,4-D Telar	Tordon + 2,4-D Tordon + Telar Telar	Fall regrowth: Tordon Telar Range Star
Field Bindweed	<i>Perennial</i>	2,4-D Trimec Range Star Prescott	2,4-D Trimec Range Star Prescott Telar	Tordon +2,4-D LandMaster <i>(spot spray)</i>
Garlic Mustard	<i>Biennial/ Perennial</i>	Escort + 2,4-D Garlon 4 Opensight	Escort + 2,4-D Garlon 4	Escort + 2,4-D Garlon 4 Opensight
Hawkweeds	<i>Perennial</i>	2,4-D Trimec WeedMaster Curtail Prescott Milestone	Tordon +2,4-D Trimec Transline Milestone	Fall treatments of Tordon, Transline or Curtail may be effective, but research is limited.
Hoary Alyssum	<i>Annual/to Short-lived Perennial</i>	2,4-D WeedMaster Prescott Opensight	WeedMaster Prescott Opensight	If there is fall regrowth due to mowing: WeedMaster Opensight
Hoary Cress <i>(White Top)</i>	<i>Perennial</i>	2,4-D Range Star Telar Escort Method + Telar	Range Star Telar Escort	Fall regrowth: 2,4-D Telar Escort
Houndstongue <i>(Always add a surfactant to spray mix)</i>	<i>Biennial / Perennial</i>	Pasture Pro WeedMaster Escort Method + Telar	Pasture Pro Escort Method + Telar Tordon + 2,4-D	Tordon + 2,4-D Regrowth after mowing: 2,4-D Method + Telar
Knapweeds	<i>Biennial / Perennial</i>	2,4-D WeedMaster Milestone Tordon + 2,4-D	Tordon + 2,4-D Roundup <i>(spot spray)</i> Transline Milestone	Tordon + 2,4-D Regrowth after mowing: 2,4-D Milestone
		Trade names have been used to simplify instructions and do not constitute a guarantee or warranty of the product.		

Weed	Growth Type	Recommendations:		
		April, May <i>Seedling/Rosette</i>	June, July <i>Bolting, Bud, Bloom</i>	Aug, Sept, Oct <i>Seeding, Fall Regrowth</i>
Kochia	<i>Annual</i>	Method + Telar WeedMaster Trimec Vista PasturePro	Telar Trimec Vista Roundup (<i>spot spray</i>)	PasturePro Vista + 2,4-D WeedMaster Roundup (<i>spot spray</i>)
Leafy Spurge Myrtle Spurge	<i>Perennial</i>	2,4-D Banvel Range Star Prescott Tordon + 2,4-D	Tordon + 2,4-D Banvel Method + Telar	Tordon + 2,4-D Method + Telar Plateau + Hasten Oil (12 oz/ac applied in Sept)
Medusahead Ventenata	<i>Annual</i>	Roundup (<i>spot spray</i>) Plateau	Roundup (<i>spot spray</i>)	Milestone Outrider Plateau
Musk Thistle	<i>Biennial</i>	2,4-D WeedMaster Milestone Telar	Transline Escort Tordon + 2,4-D	Tordon + 2,4-D Regrowth after mowing: WeedMaster Roundup (Spot Spray)
Oxeye Daisy	<i>Perennial</i>	2,4-D Trimec Tordon + 2,4-D Milestone Nitrogen Fertilizer	Tordon + 2,4-D Trimec Transline Method + Telar	Nitrogen Fertilizer Telar
Poison Hemlock	<i>Biennial</i>	2,4-D MCPA Method + Telar Roundup (<i>spot spray</i>)	2,4-D Escort	2,4-D
Puncturevine	<i>Annual</i>	PasturePro Trimec RangeStar Method + Telar	PasturePro Trimec Method + Telar	Telar Method + Telar
Purple Loosestrife	<i>Perennial</i>	Escort Garlon Rodeo	Escort Garlon Rodeo	Garlon Rodeo
Rush Skeletonweed	<i>Perennial</i>	2,4-D WeedMaster Prescott MCPA Milestone	Tordon + 2,4-D Milestone Method + Telar	Tordon + 2,4-D Fall Rosettes: 2,4-D Transline Milestone
		Recommendations are supplied with the understanding that no discrimination is intended and no endorsement by the Weed Board is implied. Trade names have been used to simplify instructions.		

Weed	Growth Type	Recommendations:		
		April, May <i>Seedling/Rosette</i>	June, July <i>Bolting, Bud, Bloom</i>	Aug, Sept, Oct <i>Seeding, Fall Regrowth</i>
Russian Thistle	<i>Annual</i>	2,4-D Prescott Curtail Milestone	Tordon + 2,4-D	Tordon + 2,4-D
Scotch Thistle	<i>Biennial</i>	2,4-D Telar Prescott Range Star Milestone	Tordon + 2,4-D Transline Escort	Tordon + 2,4-D Fall rosettes: WeedMaster Roundup
St. Johnswort	<i>Perennial</i>	2,4-D WeedMaster Milestone	Escort Tordon + 2,4-D	Tordon + 2,4-D
Sulfur Cinquefoil	<i>Perennial</i>	Tordon + 2,4-D Trimec Escort Milestone	Tordon + 2,4-D Trimec Escort Method + Telar	Tordon + 2,4-D
Wild Four O'Clock	<i>Perennial</i>	HiDep RangeStar Escort Telar	Rangestar Escort Roundup (spot spray)	Roundup (spot spray)
Yellow Starthistle	<i>Annual</i>	2,4-D WeedMaster Telar Transline Milestone	2,4-D Telar Tordon Prescott Method + Telar	Fall regrowth: Telar Tordon + 2,4-D Prescott

Measurements and Conversions:

1 acre = 43,560 square feet

Qt or Pt / Acre to Oz/Gal

½ qt/ac	=	¼ oz/gal
1 qt/ac	=	½ oz/gal
2 qt/ac	=	1 oz/gal
3 qt/ac	=	1½ oz/gal
1 pt/ac	=	¼ oz/gal
2 pt/ac	=	½ oz/gal

Backpack Calibrations *

(per 1 gallon of water)

2,4-D	2 oz
PasturePro	2 oz
WeedMaster	1 oz
Roundup	2 oz
Curtail	1 oz
Prescott	1 oz
Trimec	1.5 oz
Milestone	0.1 oz
Tordon	0.5 oz

WHEN BACKPACK SPRAYING be sure to fill the backpack halfway with water before you add the herbicide. Add the surfactant after you have finished filling the backpack with water.

*Herbicide amounts are approximate. Accurate rates must be determined from the product label. Time of year and weeds to be sprayed are all factors when determining how much product to use.