HIGGENS ACRE TRACTS
LOT 1 BLOCK 2

COMMON AREA
TRACT "A"

ECHO GLEN LANE

COMMON AREA
TRACT "B"

CHERRY LANE

COMMON AREA
TRACT "D"

ECHO GLEN LANE

44TH LANE

ECHO GLEN

CUSTER STREET

COMMON AREA
TRACT "C"

UNPLATTED

TRACT "F"

ECHO GLEN LANE

GLENDORA LANE

GLENVIEW LANE

COMMON AREA
TRACT "E"

GLENNAIRE NINE FIRST ADDITION

SUMAC DRIVE

CITY OF SPOKANE PROPERTY

Boyd J Bamm
DEVELOPER'S APPROVAL

6-18-93
DATE

APPROVED FOR CONSTRUCTION
SPOKANE COUNTY ENG.
BY [signature]
7.7.93

PERMIT REQUIRED!
BY/THRU THE PERMIT ENGINEER
456-3600
24 HRS. PRIOR TO CONSTRUCTION

STEVEN P. SOUTAS
STATE OF WASHINGTON
20983
REGISTERED
PROFESSIONAL ENGINEER
EXPIRES 1-10-94

GRAPHIC SCALE
50 0 25 50 100
(IN FEET)
1 inch = 50 ft.

GRADING PLAN
FOR
ECHO GLEN P.U.D.
LOTS 7 THROUGH 18, BLOCK 3

INLAND PACIFIC ENGINEERING
South 25 Altamont Spokane, Washington
(509) 535-1410 99202

SHEET 1 OF 1

9204/OVERALL

LP1658-GRAD-1.TIF

CURVE INFORMATION

CURVE	RADIUS	LENGTH	TANGENT	CHORD	DELTA
C1	100.00'	69.83'	36.41'	68.42'	40°00'32"
C2	75.00'	60.91'	32.25'	59.25'	46°32'01"
C3	100.00'	57.68'	29.67'	56.88'	33°02'55"
C4	162.59'	95.63'	49.24'	94.26'	33°41'59"
C5	162.59'	202.48'	116.73'	189.64'	71°20'58"
C6	162.59'	27.29'	13.68'	27.26'	09°36'57"
C7	240.00'	87.09'	44.03'	86.61'	20°47'26"
C8	240.00'	87.20'	44.09'	86.72'	20°49'02"
* C10	50.00'	40.55'	21.46'	39.45'	46°28'01"
* C11	20.00'	40.42'	31.89'	33.89'	115°48'32"
* C12	20.00'	36.28'	25.57'	31.51'	103°56'35"
* C13	20.00'	22.48'	12.59'	21.31'	64°23'16"
* C14	20.00'	31.01'	19.60'	28.00'	88°50'51"
* C15	20.00'	34.40'	23.23'	30.31'	98°32'41"
* C16	20.00'	28.96'	17.68'	26.50'	82°57'52"
* C17	20.00'	31.42'	20.00'	28.28'	90°00'00"
* C18	20.00'	31.42'	20.00'	28.28'	90°00'00"

* CURVE INFORMATION REFERS TO BACK OF CURB

NOTE:
ANY CONFLICTING UTILITIES SHALL BE RELOACTED PRIOR TO CONSTRUCTION

CITY DATUM
BRASS CAP AT NE CORNER
36th AND MYRTLE
ELEVATION=2294.34

SEC. 35, T.25 N., R.43 E.,W.M.

APPROVED FOR CONSTRUCTION
SPOKANE COUNTY ENG.
BY 7-7-93
PERMIT REQUIRED!
NOTIFY THE PERMIT ENGINEER
456-3600
24 HRS. PRIOR TO CONSTRUCTION

DEVELOPER'S APPROVAL

6-18-93
DATE

CALL BEFORE YOU DIG 456-8000

STATION	16+00	16+50	17+00	17+50	18+00	18+50	19+00	19+50	20+00	20+50	21+00	21+50	22+00	22+50	23+00	23+50	24+00	24+50	25+00	25+50	26+00	26+50	27+00
LEFT CURB	2413.49	N/A	2412.49	2411.23	2408.32	2404.56	2400.83	2398.06	2396.70	2396.75	N/A	N/A	2399.53	2397.61	2394.42	2393.10	2392.53	2392.63	2394.72	2397.31	2398.38	2397.28	2394.06
C/L	2413.49	2412.99	2412.49	2411.18	2408.23	2404.47	2400.74	2397.97	2396.61	2396.66	2398.13	2399.82	2399.32	2396.59	2393.85	N/A	2392.63	2394.15	2396.74	2397.81	2396.71	2393.49	N/A
RIGHT CURB	2413.49	2412.99	2412.49	2411.47	N/A	2405.04	2401.31	2398.54	2397.18	2397.23	2398.70	2400.39	2399.77	2396.80	2393.94	N/A	2392.72	2394.24	2396.83	2397.90	2396.80	N/A	2388.63

STATION	16+00	16+50	17+00	17+50	18+00	18+50	19+00	19+50	20+00	20+50	21+00	21+50	22+00	22+50	23+00	23+50	24+00	24+50	25+00	25+50	26+00	26+50	27+00
LEFT CURB	2413.49	N/A	2412.49	2411.23	2408.32	2404.56	2400.83	2398.06	2396.70	2396.75	N/A	N/A	2399.53	2397.61	2394.42	2393.10	2392.53	2392.63	2394.72	2397.31	2398.38	2397.28	2394.06
C/L	2413.49	2412.99	2412.49	2411.18	2408.23	2404.47	2400.74	2397.97	2396.61	2396.66	2398.13	2399.82	2399.32	2396.59	2393.85	N/A	2392.63	2394.15	2396.74	2397.81	2396.71	2393.49	N/A
RIGHT CURB	2413.49	2412.99	2412.49	2411.47	N/A	2405.04	2401.31	2398.54	2397.18	2397.23	2398.70	2400.39	2399.77	2396.80	2393.94	N/A	2392.72	2394.24	2396.83	2397.90	2396.80	N/A	2388.63

INLAND PACIFIC ENGINEERING
South 25 Altamont Spokane, Washington 99202
(509) 535-1410

SCALE: HORIZONTAL 1"=50' VERTICAL 1"=10'
DATE 6/18/93 DWN. MWK CHK. SPS APP. SPS
REVISIONS: NO. DATE BY

ECHO GLEN ESTATES P.U.D.
ECHO GLEN LANE
STREET

SHEET 1 OF 4
JOB NUMBER 92047

L.P1658-PP-1.TIF

Roger Bamm — DEVELOPER'S APPROVAL — 6-18-93 DATE





ENTRANCE DETAIL / POND A1 — 1/4

SCALE: 1"=20'



NOTE:
THE RETENTION POND AND SIDESLOPES SHALL BE SEEDED WITH DRYLAND GRASSES WHEN EXCAVATION IS COMPLETE. SEED MIXTURE SHOULD BE STREAMBANK WHEATGRASS (SODAR) 33.3%, TALL WHEATGRASS (ALKAR) 33.3%, AND INTERMEDIATE WHEATGRASS (GREENAR) 33.4%. APPLICATION SHALL BE AT THE RATE OF 60 lbs. SEED MIXTURE PER ACRE AND SHALL INCLUDE A FERTILIZER MIX WHICH YIELDS 135 lbs./ACRE TOTAL NITROGEN AS N, 80 lbs./ACRE AVAILABLE AS PHOSPHORIC P205, AND 80 lbs./ACRE SOLUABLE POTASH K20. THE SEED AND FERTILIZER MIXTURE SHALL BE SPRAYED ON AS A MULCH WITH A TACKIFIER OF TERRA TAC AR OR J-TAC HS APPLIED AT THE RATE RECOMMENDED BY THE MANUFACTURER, AND WITH WOOD CELLULOSE FIBER APPLIED AT 150 lbs./ACRE

TRANSITION DETAIL

N.T.S.



TYPICAL CURB INLET

(NOT TO SCALE)



SECTION B–B



SECTION — NTS — C/4



CURB TRANSITION DETAIL — NTS — 3/4



TYPICAL DITCH SECTION — NTS — 5/4

RETENTION POND / ACCESS ROAD — 4/4

SCALE 1"=20'



APPROVED FOR CONSTRUCTION
SPOKANE COUNTY ENG.
BY [signature]
7-7-93

PERMIT REQUIRED!
NOTIFY THE PERMIT ENGINEER
456-3600
24 HRS. PRIOR TO CONSTRUCTION



* ALL DRYWELLS SHALL BE INSTALLED WITH FILTER FABRIC ("AMOCO #4545 OR APPROVED EQUAL) BETWEEN THE DRAIN ROCK AND THE EXCAVATED LATERAL GROUND SURFACE.

CURVE INFORMATION

CURVE	RADIUS	LENGTH	TANGENT	CHORD	DELTA
C1	81.50'	39.45'	20.12'	39.07'	27°44'00"
C2	2.50'	6.78'	11.49'	4.89'	155°27'35"
C3	42.00'	19.80'	10.09'	19.61'	27°00'23"
C4	2.50'	6.54'	9.27'	4.83'	149°48'02"
C5	6.00'	10.70'	7.44'	9.34'	102°12'22"
C6	5.00'	9.45'	6.92'	8.10'	108°15'49"
C6	3.00'	6.53'	5.74'	5.32'	124°46'55"
C7	5.00'	4.69'	2.53'	4.52'	53°42'26"
C8	5.00'	11.27'	10.50'	9.03'	129°05'27"
C9	92.06'	110.77'	63.20'	104.21'	68°56'18"
C10	28.00'	19.11'	9.94'	18.74'	39°06'03"
C11	1.00'	1.64'	1.07'	1.46'	93°54'40"

POND A2 — 2/4

1"=20'



END ELEVATION



SIDE ELEVATION



PLAN VIEW

SIDEWALK & CURB INLET

SCALE	HORIZONTAL 1"=20'	VERTICAL 1"=20'
DATE	6/18/93	
DWN.	MWK	
CHK.	SPS	
APP.	SPS	

NO.	DATE	BY

REVISIONS

INLAND PACIFIC ENGINEERING
South 25 Altamont Spokane, Washington 99202
(509) 535-1410

STREET

ECHO GLEN P.U.D.
STREET DETAIL SHEET

SHEET 4 OF 4
JOB NUMBER 92047

LP1658-0792L-1.TIF







TRANSITION DETAIL
N.T.S.

APPROVED FOR CONSTRUCTION
SPOKANE COUNTY ENG.
BY 7-7-93

PERMIT REQUIRED!
NOTIFY THE PERMIT ENGINEER
456-3600
24 HRS. PRIOR TO CONSTRUCTION

CITY DATUM
BRASS CAP AT NE CORNER
36th AND MYRTLE
ELEVATION=2294.34



TYPICAL CROSS-SECTION
44TH LANE
CHERRY LANE
ECHO GLEN LANE (STA 15+89.91 TO STA 17+25)



TYPICAL CROSS-SECTION
ECHO GLEN LANE (STA 17+75 TO 21+75 & STA 22+75 TO 27+11.36)
GLENDORA LANE
GLENVIEW LANE



WEDGE CURB

CURVE INFORMATION

CURVE	RADIUS	LENGTH	TANGENT	CHORD	DELTA
C1	150.00'	108.11'	56.53'	105.79'	41°17'48"
* C10	20.00'	36.28'	25.57'	31.51'	103°56'35"
* C11	20.00'	22.48'	12.89'	21.31'	64°23'16"
* C12	20.00'	18.39'	9.86'	17.68'	52°28'34"
* C13	20.00'	28.96'	17.68'	26.50'	82°57'52"

* CURVE INFORMATION REFERS TO BACK OF CURB



DEVELOPER'S APPROVAL

6-18-93
DATE

CALL BEFORE YOU DIG 456-8000

SEC. 35, T.25 N., R.43 E.,W.M.



LP1658-P9-2.TIF

INLAND PACIFIC ENGINEERING
South 25 Altamont Spokane,Washington 99202
(509) 535-1410

ECHO GLEN ESTATES P.U.D.
44TH LANE
CHERRY LANE
STREET

NO.	DATE	BY

REVISIONS

SCALE
HORIZONTAL 1"=50'
VERTICAL 1"=10'

DATE 6/18/93
DWN. MWK
CHK. SPS
APP. SPS

SHEET 2 OF 4
JOB NUMBER 92047

APPROVED FOR CONSTRUCTION
SPOKANE COUNTY ENG
BY 7-7-93

PERMIT REQUIRED!
NOTIFY THE PERMIT ENGINEER
456-3600
24 HRS. PRIOR TO CONSTRUCTION

CURVE INFORMATION

CURVE	RADIUS	LENGTH	TANGENT	CHORD	DELTA
* C10	20.00'	18.32'	9.86'	17.68'	52°28'34"
* C11	20.00'	31.42'	20.00'	28.28'	90°00'00"

* CURVE INFORMATION REFERS TO BACK OF CURB





DEVELOPER'S APPROVAL

6-18-93
DATE

SEC. 35, T.25 N., R.43 E.,W.M.

CALL BEFORE YOU DIG 456-8000

CITY DATUM
BRASS CAP AT NE CORNER
36th AND MYRTLE
ELEVATION=2294.34







INLAND PACIFIC ENGINEERING
South 25 Altamont Spokane,Washington 99202
(509) 535-1410

ECHO GLEN ESTATES P.U.D.
GLENDORA LANE
GLENVIEW LANE
STREET

SHEET 3 OF 4
JOB NUMBER 92047

SCALE HORIZONTAL 1"=50' VERTICAL 1"=10'
DATE 6/16/93 DWN. MWK CHK. SPS APP. SPS
REVISIONS NO. DATE BY

LP1658-PP-3.TIFF