



Eastern Washington Water Type Classification Worksheet

SPOKANE COUNTY DEPARTMENT OF BUILDING AND PLANNING

1026 WEST BROADWAY AVENUE

SPOKANE, WA 99260

Phone: 509-477-3675 Fax: 509-477-4703

Please complete this form for all 'Type U or X' designated streams on property.

Project No. _____ Address: _____ Parcel No. _____

Stream/Segment ID: _____

1. Do you have a protocol survey? (See the Forest Practices board Manual Section 13.) Or, does the stream have waiver characteristics? (See WAC 222-16-031 (3)(b)(i).)
 No. Continue
 Yes
 Fish found. Type F water. Stop.
 No fish. Continue.
 Yes. Meets waiver criteria.
2. List the date(s) Stream observations were made for water typing.
Date(s) observed: _____
Continue.
3. Were fish observed or are fish known to use the stream any time of the year?
 Yes. Type F water. Stop.
 No. Continue.
4. Is the average Bankfull width (BFW) three feet or wider? **AND**, is the average stream gradient less than or equal to 16%?
 Yes. Type F water. Stop.
 No. Continue.
5. Is the average BFW three feet or wider? **AND**, is the average stream gradient between 16% and 20%? **AND**, is the contributing basin to the stream greater than 175 acres?
 Yes. Type F water. Stop.
 No. Continue.
6. Does the stream segment contain water at all times during a normal rainfall year? Or;
 Is the stream segment downstream of a perennial source of water? Or;
 Does the stream physically connect by an above ground channel to Type S, F, or Np water?
 Yes. Type N water – 100' Buffer or Type Modification Form required.
 No. Non typed water.

The above information is true and correct to the best of my knowledge.

Applicant Signature: _____ Date: _____